HUAWEI DEVICE CO LTD

RECIPIENT	

SPECIFICATIONS

Product No.: X1E000251019500

MODEL: FA-118T

SPEC. No.: A19-045-1B

DATE: Apr. 17. 2019

SEIKO EPSON CORPORATION

8548 Naka-minowa Minowa-machi Kamiina-gun Nagano-ken 399-4696 Japan

CHECKED Kunihito Yamanaka / TD Engineering Department Manager

CHECKED 7 A Department Manager / TD Production Engineering Department Senior Staff

Fumio Anzai / TD · CS Quality Assurance Department Manager

PREPARED Fundament Manager / TD · CS Quality Assurance Department Senior Staff

Emi Oguchi

SPECIFICATIONS

1. Application

- 1) This document is applicable to the crystal unit that are delivered to HUAWEI DEVICE CO LTD from Seiko Epson Corp.
- 2) This product is complies with RoHS Directive.
- 3) This Product supplied (and any technical information furnished, if any) by Seiko Epson Corporation shall not be used for the development and manufacture of weapon of mass destruction or for other military purposes.

 Making available such products and technology to any third party who may use such products or technologies for the said purposes are also prohibited.
- 4) This product listed here is designed as components or parts for electronics equipment in general consumer use. We do not expect that any of these products would be incorporated or otherwise used as a component or part for the equipment, which requires an systems, and medical equipment, the functional purpose of which is to keep extra high reliability, such as satellite, rocket and other space life.

2. Product No. / Model

The product No. of this crystal unit is X1E000251019500.

The model is FA-118T.

3. Packing

It is subject to the packing standard of Seiko Epson Corp.

4. Warranty

Defective parts which originate with us are replaced free of charge in the case of defects being found with 12 months after delivery.

5. Amendment and/or termination

Amendment and/or termination of this specification is subject to the agreement between the two parties.

6. Contents

Item No.	Item	Page
[1]	Absolute maximum ratings	2
[2]	Operating range	2
[3]	Static characteristics	2
[4]	Environmental and mechanical characteristics	3
[5]	Dimensions and circuit	4
[6]	Recommended soldering pattern and marking layout	5
[7]	Notes	6

[1] Absolute maximum ratings

No.	Item	Cymala al	R	Rating valu	e	Unit	Suppose to be within Motional resistance STD.
NO.	Item	Symbol	Min.	Тур.	Max.	Onit	Note
1	Storage temperature range	T_stg	-40	1	+125	°C	

[2] Operating range

No.	Itam	Crumb ol	Rating value			Unit	Note
INO.	Item	Symbol	Min.	Тур.	Max.	Onit	Note
1	Operating temperature range	T_use	-30	-	+85	°C	
2	Level of drive	DL	1	-	100	μW	

[3] Static characteristics

No.	Item	Symbol	Value	Unit	Conditions
1	Nominal Frequency	f_nom	32	MHz	Fundamental
2	Frequency tolerance	f_tol	±10	× 10 ⁻⁶	CL = 8 pF Ta = +25 ±3°C DL : 100 µW Not include aging
3	Motional resistance	R1	60 Max.	Ω	π circuit IEC 60444-2 Ta = Operating temperature range DL: 100 μW
4	Shunt capacitance	C0	3.0 Max.	pF	π circuit and N.A.
5	Frequency temperature characteristics	f_tem	±10	× 10 ⁻⁶	Ta = Operating temperature range (Ref. at +25 °C ±3 °C) DL : 100 μW
6	Isolation resistance	IR	500 Min.	ΜΩ	DC 100 V ±15, 60 seconds Between terminal #1 and #3
7	Frequency Aging	f_age	±3	× 10 ⁻⁶ /year	$Ta = +25 \text{ °C} \pm 3 \text{ °C}$ Frisy year

[4] Environmental and mechanical characteristics

(The company evaluation condition: We evaluate it by the following examination item and examination condition.)


No.	Item	Value * 1 * 2	Test Conditions
NO.	item	$\Delta f / f [1 \times 10^{-6}]$	Test Conditions
1	Shock	* 3 ±2	150 g dummy Jig (Epson Standard) drop from 1 500 mm height on the Concrete 3 directions 10 times
2	Vibration	* 3 ±2	10 Hz to 55 Hz amplitude 0.75 mm 55 Hz to 500 Hz acceleration 98 m/s ² 10 Hz \rightarrow 500 Hz \rightarrow 10 Hz 15 min./cycle 6 h (2 hours , 3 directions)
3	High temperature storage	* 3 ±2	+85 °C × 1 000 h
4	Low temperature storage	* 3 ±2	- 40 °C × 1 000 h
5	Temperature cycle	* 3 ±2	- 40 °C ↔ + 85 °C 30 minutes at each temp. 100 cycle
6	Temperature humidity storage	* 3 ±2	+85 °C × 85 %RH × 1 000 h
7	Resistance to soldering heat	±2	For convention reflow soldering furnace (3 times)
8	Substrate bending	No peeling-off at a soldered part	Bend width reaches 3 mm and hold for $5 \text{ s} \pm 1 \text{ s} \times 1$ time Ref. IEC 60068-2-21
9	Shear	No peeling-off at a soldered part	10 N press for 10 s ±1 s Ref. IEC 60068-2-21
10	Pull – off	No peeling-off at a soldered part	10 N press for 10 s ±1 s Ref. IEC 60068-2-21
11	Solderability	Terminals must be 95 % covered with fresh solder.	Dip termination into solder bath at +235 °C ±5 °C for 5 s (Using Rosin Flux)

< Notes >

- 1. * 1 Each test done independently.
- 2. * 2 Measuring 2 h to 24 h later leaving in room temperature after each test.
- 3. * 3 Item No.1 to No.6 shall be tested after following pre conditioning.


 Measuring 24 h later leaving in room temperature after Pre conditioning.


 Pre conditioning: Reflow 3 times.
- 4. Item No.1 to No.7, Shift motional resistance at after above tests should be less than 20 % or less than 10 Ω .





[5] Dimensions and Circuit

1) Dimension (Unit: mm)










Internal connection



TOP VIEW


Terminal #2, #4 are connected to the LID (Please connect GND)
Terminal treatment: Au plate

Ver.20160607


4

[6] Recommended soldering pattern and Marking layout

1) Recommended soldering pattern (Unit: mm)



2) Marking layout



Production month

Januar	y February	 October	November	December
1	2	 X	Y	Z

- Nominal frequency is only one example.
- Nominal frequency omits the figure below the first place of decimals. ex) 32 MHz [320]
- The above marking layout shows only marking contents and their approximate position and it is not for font, size and exact position.


[7] Notes

- 1. Max three (3) times re-flow is allowed. Its recommended to manually solder when not enough/no solder detected. (Using soldering iron at +350 °C Max × within 5 seconds)
- 2. Patterning on a board should follow our company recommended pattern.
- 3. Too much exciting shock or vibration may cause deterioration on damage.

 The product may damage depends on the condition such as a shock in assembly machinery.

 Please check your process condition in advance to minimize and maintain the shock level.
- 4. It is recommended to do patterning to the oscillator as short as possible. Abnormal oscillation may happened if the line is too long.
- 5. Condensation may occur when products are used/stored under remarkable temperature change.
- 6. This product may be affected to ultrasonic cleaning. It is depends on the cleaning conditions (Cleaning machine type/power/time/content/position etc.). The warranty will not cover any damage due to this type of usage. Check conditions prior to use.
- 7. When the substrate of oscillation become dewy, the crystal frequency is changed or stopped. Please use under without the dewfall.
- 8. Applying excessive excitation Drive Level to the crystal Unit may cause deterioration damage.
- 9. Few data or readings taken at user side may be different from our company's data. Confirmation of the different value is necessary before application.
- 10. To avoid malfunction, no pattern across or near the crystal is allowed.
- 11. Start up time of oscillation may be increased or no oscillation may occur unless adequate negative resistance is allocated in the oscillation circuit In order to avoid this, please provide enough negative resistance to the circuit design.

How to check the negative resistance



- (1) Connect the resister(R) to the circuit in series with the crystal Unit.
- (2) Adjust R so that oscillation can start (or stop).
- (3) Measure R when oscillation just start (or stop) in above (2).
- (4) Get the negative resistance -R=R+CI value.
- (5) Recommended -R $[-R] > CI \times 5$
- 12. Please refer to packing specification for the storage method and packing standard.

TAPING SPECIFICATION

テープ梱包基準書

1. APPLICATION 適用範囲

This document is applicable to FA-118T 本基準書は、FA-118T のテーピング梱包について規定する。

2. CONTENTS 目次

Item No.	Item	Page
[1]	Taping specification テーピング仕様	2 to 3
[2]	Shipping carton 外装箱への収納	4
[3]	Marking 表示	
[4]	Quantity 収納数量	5
[5]	Storage environment 保管環境	
[6]	Handling リール取扱い	

FA118T_TL_1001 Page 1


[1] Taping specification テーピング仕様

Subject to EIA-481 , IEC 60286 , JIS C0806.. 「EIA-481」「IEC 60286」「JIS C0806」に準拠する。

(1) Tape dimensions TE0804L

Material of the Carrier Tape キャリアテープ材質 : PS


Material of the Top Tape トップテープ材質 : PET+PE




(2) Reel dimensions

(a) Center material 中心材質 : PS


(b) Material of the Reel リール材質: PS



- (3) Packing 収納形態
 - (a) Tape & Reel デバイス収納方法



(b) Start & End Point 引き出し先頭側及びリール側の処理



=	tem ^{項目}	Empty Space 空きスペース	Note 備考
Tape Leader (引き出し先頭側)	Top Tape	Min. 1 000 mm	Feeding in the Top tape, the tip is fixed with tape. トップテーブ単独で繰り出し、先端はテープにより固定。
	Carrier Tape	Min. 100 mm	Winding method is a diagram of the above リールへの巻き取り方法は、上図の通り。
Tape Trailer	Top Tape	Min. 0 mm	Tip is fixed to the reel.
(リール側)	Carrier Tape	Min. 160 mm	先端はリールに固定。


- (4) Peel force of the cover tape トップテープの剥離強度
 - (a) angle: cover tape during peel off and the direction of unreeling shall be 165° to 180°. 剥離角度:テープの接着面に対し165~180度とする。
 - (b) peel speed: 300 mm/min 剥離速度:300 mm/min とする。
 - (c) peel strength : 0.1 \sim 1.0 N

剥離強度:0.1~1.0 N

FA118T_TL_1001 Page 3


[2] Shipping carton 外装箱への収納

a) Packing to antistatic bag 袋への収納



b) Packing to shipping carton 外装箱への収納

If there is space in the outer box, material is put in a shock absorbing together. 空間ができた時は、クッション材を入れる。



[3] Marking 表示

- (1) Reel marking リールへの表示
 - Reel marking shall consist of 下記内容をリール表面に表示できるラベルを貼る。:
 - 1) Parts name 製品名称
 - 2) Quantity 製品数量
 - 3) Manufacturing Date or symbol 製品の製造年月又はこれを示す記号
 - 4) Manufacturer's Date or symbol 製品の製造業者又はその略号
 - 5) Others (if necessary) その他必要事項
- (2) Shipping carton marking 外装箱への表示
 - Shipping carton marking shall consist of: 下記内容を外装箱表面に表示できるラベルを貼る。:
 - 1) Parts name 製品名称
 - 2) Quantity 製品数量

FA118T_TL_1001 Page 4

[4] Quantity 収納数量

• 3 000 pcs./reel (Standard)

However it is not the limit, in case that the order quantity does not fill with 3 000 pieces. Packing quantity is defined by 14th and 15th digit of product number.

但し、注文数量が3000 pcs に満たない場合は、その限りではない。

収納数量は、製品型番の14桁、15桁による。

14th and 15th digit of product number. 製品型番の14桁、15桁	Quantity
00	3 000 pcs
01	Vinyl Bag(Bulk)
11	Any Quantity
12	250 pcs
14	1 000 pcs
26	6 000 pcs

[5] Storage environment 保管環境

(1) Before open the packing, we recommend to keep less than +30 °C and 85 %RH of Humidity, and to use it less than 6 months after delivery.

開梱前の製品は、温度 +30 °C、湿度 85 %RH 以下での保管をして下さい。 貴社納入後、袋未開封で6ヶ月以内の実装を推奨します。

(2) We recommend to open Package in immediately before use. After open Package, We recommend to keeps less than 6 month. No need dry air before soldering work if it is less than temperature +30 °C, 85 humidity %RH.

使用直前まで開梱せず、袋開封後は6ヶ月以内の実装を推奨します。 温度 +30°C、湿度 85 %RH 以下では、はんだ付け作業前に乾燥不要です。

(3) Not to storage with some erosive chemicals.

化学薬品類との同居を避ける。

(4) Nothing is allowed to put on the reel or carton to prevent mechanical damage 外装箱がゆがまないようまた、外圧がかからないように保管して下さい。

[6] Handling リール取扱い

To handle with care to prevent the damage of tape, reel and products.

リールの取扱いについては、中のテープ・製品を変形させないようにして下さい。

FA118T_TL_1001 | Page 5


SMD TYPE AT STRIP CRYSTAL : FA-118T

FA118T_Q_0001 2015.03.12

No. A-1003-01-AAE-3

		No.		Standard	Inspection, Control items	Inspection method	Instrument	Record
Crystal block		1	Inspecting section.	Purchasing specification	Size.	Sampling.	Measure.	In-coming inspection
Υ				Incoming inspection standard	Outer appearance.	"	Visual inspection.	data sheet.
					Inner appearance.	<i>''</i>	Visual inspection.	
	Incoming inspection	1'	Inspecting section.	"	Size.	Sampling.	Comparator.	"
					Outer appearance.	<i>''</i>	Micro scope.	
2	Wafer cutting	2	Inspecting section.	Manufacturing instruction sheet	Cut angle.	Sampling.	X-ray raido graphic.	Process data sheet.
					Wafer thickness.	<i>''</i>	Comparator.	
eramic base 3	Wafer lapping	3	Production section.	"	Frequency.	Sampling.	Frequency counter.	"
1'> Incoming					Wafer thickness.	<i>''</i>	Comparator.	
inspection 4	Photo process	4	Production section.	"	Size.	Sampling.	Comparator.	"
					Frequency.	"	Frequency counter.	
					Outer appearance.	<i>''</i>	Micro scope.	
Lid 5	Mounting	5	Production section.	"	Outer appearance.	All inspecion.	Micro scope.	"
Incoming 6	Frequency adjustment	6	Production section.	"	Frequency.	Sampling.	Network analyzer.	"
7	Welding	7	Production section.	"	Outer appearance.	Sampling.	Micro scope.	"
	vveiding	8	Production section.	ıı	Airtightness check.	All inspecion.	Leak tester.	"
8	Leak test	0	Froduction Section.	"	All lightness check.	All inspectori.	Leak tester.	"
9	Marking	9	Production section.	"	Outer appearance.	Sampling.	Micro scope.	"
Ĭ	v	10	Production section.	"	Crystal impedance.	All inspecion.	Inspection M/C.	"
10	Characteristic inspection				Frequency.	,,	"	
Ť	·				Insulation resistance.	"	"	
					Temp. characteristic.	Sampling.	"	
	Out-going inspection	11	Inspecting section.	Out-going inspection standard	Crystal impedance.	Sampling.	Inspection M/C.	Out-going inspection
					Frequency.	"	"	data sheet.
					Insulation resistance.	"	"	
1	Taping	12	Producing section.	Manufacturing instruction sheet	Tape-peel strength.	Sampling.	Peeling force tester.	Process data sheet.
 (13)	Packing	13	Production control section.	Manufacturing instruction sheet	Address.			Delivery slip.
				Packing instruction sheet	Quantity.	_	_	

Structure Diagram 構造図					
Model 型式	FA118T				
Document No. 管理No.	FA-118T_D_0001				



No.	Name of Part 部品名
1	Lid リット*
2	Package パッケージ
3	Crystal Adhesive 水晶接着
4	Crystal chip 水晶片
5	Terminal 端子

RELIABILITY TEST DATA

Product Name: FA-118T

The Company evaluation condition


We evaluate environmental and mechanical characteristics by the following test condition . No. F-A-1003-00-001E

			VALUE *1 *2	TEST	FAIL
No.	ITEM	TEST CONDITIONS	Δ f / f	Qty	Qty
			$[1 \times 10^{-6}]$	[n]	[n]
1	Shock	150g dummy Jig (SEIKO EPSON Standard) drop from 1500 mm height on the Concrete 6 directions 10 times	³ ±2 (24≤f0≤40 MHz) ±3 (40 <f0≤54 mhz)<="" td=""><td>22</td><td>0</td></f0≤54>	22	0
2	Vibration	10 Hz to 55 Hz amplitude 0.75 mm 55 Hz to 500 Hz acceleration 98 m/s ² 10 Hz \rightarrow 500 Hz \rightarrow 10 Hz 15 min / cycle 6 h (2 h × 3 directions)	3 ±2 (24≤f0≤40 MHz) ±3 (40 <f0≤54 mhz)<="" td=""><td>22</td><td>0</td></f0≤54>	22	0
3	High temperature storage	+85 °C × 1 000 h	$3 \pm 2 (24 \le f0 \le 40 \text{ MHz})$ $\pm 3 (40 < f0 \le 54 \text{ MHz})$	22	0
4	Low temperature storage	-40 °C × 1 000 h	%3 ±2 (24≦f0≤40 MHz) ±3 (40 <f0≤54 mhz)<="" td=""><td>22</td><td>0</td></f0≤54>	22	0
5	Temperature cycle	-40 °C ⇔ + 85 °C 30 min at each temp. 100 cycles	*3 ±2 (24≦f0≤40 MHz) ±3 (40 <f0≤54 mhz)<="" td=""><td>22</td><td>0</td></f0≤54>	22	0
6	Temperature humidity storage	+85 °C × 85 %RH × 1 000 h	3 ±2 (24≤f0≤40 MHz) ±3 (40 <f0≤54 mhz)<="" td=""><td>22</td><td>0</td></f0≤54>	22	0
7	Resistance to soldering heat	For convention reflow soldering furnace (3 times)	± 2	22	0
8	Substrate bending	Bend width reaches 3.0 mm and hold for $5 \text{ s} \pm 1 \text{ s} \times 1$ time Ref. IEC 60068-2-21	No peeling - off at a solder part	11	0
9	Shear	10 N press for 10 s ± 1 s Ref. IEC 60068-2-21	No peeling - off at a solder part	11	0
10	Pull - off	10 N press for 10 s ± 1 s Ref. IEC 60068-2-21	No peeling - off at a solder part	11	0
11	Solderability	Dip termination into solder bath at +235 °C ± 10 °C for 5 s (Using Rosin Flux)	Termination must be 95 % covered with fresh solder	11	0

Notes

- 1.*1 each test done independently.
- 2.*2 measuring 2 h to 24 h later leaving in room temperature after each test.
- 3. *3 Item No.1 to No.6 shall be tested after following pre conditioning.
- 4. Item No.1 to No.7 resistance at before above tests should be less than ± 20 % or less than ± 10 Ω .
- 5. Pre conditioning: Test crystal must be leaving in room temperature for 24h after reflow \times 3.

Product Name: FA-118T



Product Name: FA-118T

